

Year A KS1



Computing Vocabulary – Unit: 2.2 Online safety

Key Vocabulary

Attachment

A computer file sent with an email.

Digital footprint

The information about a person that exists on the Internet as a result of their online activity.

Email

Messages distributed by electronic means from one computer user to one or more people.

Filter

A feature of search engines, where a user can filter results according to criteria. For example, news, date published.

Personal information

This is information that is personal to someone. For example, their favourite food, their name and age.

Internet

A way to send information from one computer to another anywhere in the world using technology such as phones, satellites and radio links.

Secure

Users online should take steps to help keep their personal and private information secure.

Private information

This is personal information that should be kept secure. For example, their date of birth, their full address, credit card numbers.

Search

Look for information (in a database or the World Wide Web) using a search engine.

Sharing

Post or repost (something) on a website.



Computing Vocabulary - Unit: 1.7 Coding

Instructions

Detailed information about how something should be done.

Properties

Objects have properties that can be changed in design or by writing code e.g. image, colour and scale properties.

Scene

The background and objects together create a scene.

Object

An element in a computer program that can be changed using actions or properties.

Run

To cause the instruction in a program to be carried out.

Sound

This is a type of output command that makes a noise.

Output

Information that comes out of the computer e.g. sound.

Scale

The size of an object in 2Code.

When clicked

An event command. It makes code run when you click on something (or press your finger on a touchscreen).



Computing Vocabulary - Unit: 2.1 Coding

Implement

When a design is turned into a program using coding.

Instructions

Detailed information about how something should be done or operated.

Interaction

When objects perform actions in response to each other e.g. a frog turning into a monkey when it collides with a tree.

Interval

In a timer, this is the length of time between the timer code running and the next time it runs e.g. every 1 second.

Object

Items in a program that can be given instructions to move or change in some way (action).

Output

Information that comes out of the computer e.g. sound.

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Run

Clicking the Play button to make the computer respond to the code.



Computing Vocabulary - Unit: 1.4 Lego Builders

Algorithm

A precise, step-by-step set of instructions used to solve a problem or achieve an objective.

Code

Instructions that a programmer enters into a computer that cause the computer to perform a certain way.

Computer

An electronic device for storing and processing data.

Debugging

To find and remove errors from computer hardware or software.

Instructions

Detailed information about how something should be done or operated.

Program

An algorithm that has been coded into something that can be run by a machine, e.g., a computer or a robot.



Computing Vocabulary - Effective Searching Unit: 2.5

Digital Footprint

The information about a person that exists on the Internet as a result of their online activity.

Domain

Part of the Internet owned by an individual, company or organisation.

Internet

A way to send information from one computer to another anywhere in the world using technology such as phones, satellites and radio links.

Network

Connected devices that can send and receive information, voice and video.

Search Engine

A program to help you find web pages on the Internet.

Web Address

Identifying address for a file or web page on the Internet. Also known as URL.

Web Page

A single page which can include images, videos and charts.

World Wide Web

The web pages and documents you see when you are browsing online. It is just one part of the Internet.

Web Site

A collection of web pages that belong to one domain.



Aiskew, Leeming Bar
Church of England Primary School
*'Rooted in love and growing together
to become lifelong learners'*

Computing Vocabulary - Unit: 1.2 Grouping and Sorting

Key Vocabulary



Criteria



A way in which something is judged.



Groups



Objects arranged and put together
because they have features in
common.



Sort



Put things together by features they have
in common.



Computing Vocabulary - Spreadsheets Unit: 1.8

Button

An object you click that performs an action. E.g. print.

Calculations

Maths calculations can be entered into a cell. For example the total of two cells can be added together using a calculation that appears in a new cell.

Cell

An individual section of a spreadsheet grid. It contains data or calculations.

Clip-art

A library of images that a user can choose from and insert in a file.

Count tool

In 2Calculate, this counts the number of cells with a value that matches the value of the cell to the left of the tool.

Column

Boxes running vertically in a spreadsheet.

Data

A collection of information, used to help answer questions.

Image

A drawing or photograph that users can import into a file.

Lock cell

This feature lets a user lock a cell so its contents can't be deleted.

Delete

Removes contents such as the contents in a cell.

Move cell

The move tool lets a user move the contents of a cell to a new cell.

Row

Boxes running horizontally in a spreadsheet.

Speak tool

This tool will speak the contents of a cell containing a number each time the value changes.

Spreadsheet

A computer program that represents information in a grid of rows and columns.

Value

Images can have values given to them. For example, an apple could be given a value of 1 and a pear a value of 2.



Computing Vocabulary - Unit: 2.3 Spreadsheets

Block Graph

This is a type of graph that displays data with blocks. These can be made using cells, colours and labels in 2Calculate.

Copy

This feature copies the contents of highlighted cells without deleting the contents of them into a clipboard.

Drag

Contents of a cell can be dragged to another cell using the drag tool in 2Calculate.

Label

A way to identify data in a spreadsheet. For example a label heading for ice cream flavours children like.

Table

Tables can be created in 2Calculate, these have headings and are a neat way to display data.

Cell

An individual section of a spreadsheet grid. It contains data or calculations.

Count tool

In 2Calculate, this counts the number of cells with a value of the cell to the left of the tool.

Equals

This symbol can be used in 2Calculate to find the answer to a calculation.

Row

Boxes running horizontally in a spreadsheet.

Total

In 2Calculate the total tool will calculate the total of all cells above, below or next to it dependent on which total tool used.

Column

Boxes running vertically in a spreadsheet.

Data

A collection of information, used to help answer questions.

Equals tool

Tests whether the entered calculation in the cells to the left of the tool has the correct answer in the cell to the right of the tool.

Speak tool

This tool will speak the contents of a cell containing a number each time the value changes.



Computing Vocabulary - Unit: 2.3 Spreadsheets

Block Graph

This is a type of graph that displays data with blocks. These can be made using cells, colours and labels in 2Calculate.

Copy

This feature copies the contents of highlighted cells without deleting the contents of them into a clipboard.

Drag

Contents of a cell can be dragged to another cell using the drag tool in 2Calculate.

Label

A way to identify data in a spreadsheet. For example a label heading for ice cream flavours children like.

Table

Tables can be created in 2Calculate, these have headings and are a neat way to display data.

Cell

An individual section of a spreadsheet grid. It contains data or calculations.

Count tool

In 2Calculate, this counts the number of cells with a value of the cell to the left of the tool.

Equals

This symbol can be used in 2Calculate to find the answer to a calculation.

Row

Boxes running horizontally in a spreadsheet.

Total

In 2Calculate the total tool will calculate the total of all cells above, below or next to it dependent on which total tool used.

Column

Boxes running vertically in a spreadsheet.

Data

A collection of information, used to help answer questions.

Equals tool

Tests whether the entered calculation in the cells to the left of the tool has the correct answer in the cell to the right of the tool.

Speak tool

This tool will speak the contents of a cell containing a number each time the value changes.



Computing Vocabulary - Unit: 1.5 Maze explorers

Algorithm

A precise, step-by-step set of instructions used to solve a problem or achieve an objective.

Challenge

A task to be completed.

Command

An action such as left command.

Direction

The path that something travels. For example, a robot moving forwards, backwards or diagonal.

Instruction

Detailed information about how something should be done or operated.

Left and Right

A position which relates to something. For example, make the fish move left of the screen.

Route

A path an object or thing takes to get somewhere.

Undo

If we make a mistake, we can press the undo button.

Unit

A unit such as make the turtle move 2 units (squares).



Computing Vocabulary - Unit: 2.7 Making Music

Beat

A rhythmic unit in music.

Compose

To create a piece of music.

Note

A single tone in music.

Tune

Musical notes joined together to make a melody.

Sound Effect

A sound other than speech or music.

Soundtrack

A recording of the musical accompaniment of a film or tv programme.

Speed

The number of beats per minute (bpm) played in the music.

Tempo

The speed at which the music plays.

Volume

How loud or quiet the music is.

Year B KS1



Computing Vocabulary – Unit: 1.1 Online safety

Alert

A system that lets you know if you have something to look at.

Avatar

A digital picture to represent someone.

Button

An area where you click to make something happen.

Device

A piece of electrical equipment made for a purpose.

File Name

The name given to an online piece of work.

Icon

An image on a web page that you can click on to navigate to somewhere.

Log in

Using a username and password to access a system.

Log out

Leaving a computer system.

Menu

A button which gives the user different options.

My Work Area

The place on Purple Mash where your work is stored. Only you and your teachers can access this.

Notification

A message telling you about something.

Private

Keeping information restricted from other people.

Password

A series of letters, numbers and special characters that is entered after the username to access an online site.



Computing Vocabulary - Unit: 2.1 Coding

Implement

When a design is turned into a program using coding.

Instructions

Detailed information about how something should be done or operated.

Interaction

When objects perform actions in response to each other e.g. a frog turning into a monkey when it collides with a tree.

Interval

In a timer, this is the length of time between the timer code running and the next time it runs e.g. every 1 second.

Object

Items in a program that can be given instructions to move or change in some way (action).

Output

Information that comes out of the computer e.g. sound.

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Run

Clicking the Play button to make the computer respond to the code.



Computing Vocabulary - Unit: 1.7 Coding

Instructions

Detailed information about how something should be done.

Properties

Objects have properties that can be changed in design or by writing code e.g. image, colour and scale properties.

Scene

The background and objects together create a scene.

Object

An element in a computer program that can be changed using actions or properties.

Run

To cause the instruction in a program to be carried out.

Sound

This is a type of output command that makes a noise.

Output

Information that comes out of the computer e.g. sound.

Scale

The size of an object in 2Code.

When clicked

An event command. It makes code run when you click on something (or press your finger on a touchscreen).



Computing Vocabulary - Unit: 2.1 Creating Pictures

Key Vocabulary

Art

A visual form of creative activity and imagination.

Palette

Within computer graphics, this is the range of colours or shapes available to the user.

Style

A particular way in which something looks or is formed.

Fill

Causing an area to become full, in this case, of colour.

Pointillism

Pointillism was a development of impressionism. It was invented mainly by George Seurat and Paul Signac. Pointillist paintings are created by using small dots in different colours to build up the whole picture. Colours are placed near each other rather than mixed.

Impressionism

The impressionist movement began in the 1860s and became most popular in the 1870s and 1880s. It differed from the common art of the time because it wasn't religious art, showing scenes from religious stories or specific events, but was just intended to capture a scene at a moment. The art gave an 'impression' of the scene.

Surrealism

Explored the subconscious areas of the mind. The artwork often made little sense as it was usually trying to depict a dream or random thoughts.



Computing Vocabulary – Unit: 1.6 Animated story books

Animation

An object that moves on screen.

Background

An image inserted into a file that sits behind text, objects, or buttons.

Clip-art Gallery

A place in software such as 2Create a Story where a library of images can be found and inserted into a file.

E-book

A book that can be read on the computer or on a tablet.

Edit

Edit means to change something. For example, change some text to improve it.

Font

The style of text used in a piece of writing on a computer or tablet.

Sound

Sounds can be uploaded into software from a file or created.

Sound Effect

A sound other than speech or music made for use in a play, film or computer file.

Text

Words, letters, numbers or symbols entered into a computer, such as writing text in 2Create a Story.



Computing Vocabulary – Unit: 2.4 Questioning

Binary Tree

A simple way of sorting information into two categories.

Data

A collection of information, used to help answer questions.

Database

A computerised system that makes it easy to search, select and store information.

Field

A single piece of data in a database which makes up a record.

Pictogram

A diagram that uses pictures to represent data.

Question

A sentence written or spoken to find information.

Record

An item in a database with a variety of information about a specific entry.

Search

Looking for specific information. On a database, you can use the 'Find' tool.

Sort

Put things together by features they have in common.

Computing Vocabulary - Unit: 1.9 Technology outside school



Computer

An electronic device for storing and processing data.



Technology

Science and engineering knowledge put into practical use to solve problems or invent useful tools.





Computing Vocabulary - Unit: 1.8 Spreadsheets

Button

An object you click that performs an action. E.g. print.

Calculations

Maths calculations can be entered into a cell. For example the total of two cells can be added together using a calculation that appears in a new cell.

Cell

An individual section of a spreadsheet grid. It contains data or calculations.

Clip-art

A library of images that a user can choose from and insert in a file.

Count tool

In 2Calculate, this counts the number of cells with a value that matches the value of the cell to the left of the tool.

Data

A collection of information, used to help answer questions.

Column

Boxes running vertically in a spreadsheet.

Image

A drawing or photograph that users can import into a file.

Lock cell

This feature lets a user lock a cell so its contents can't be deleted.

Delete

Removes contents such as the contents in a cell.

Row

Boxes running horizontally in a spreadsheet.

Speak tool

This tool will speak the contents of a cell containing a number each time the value changes.

Move cell

The move tool lets a user move the contents of a cell to a new cell.

Value

Images can have values given to them. For example, an apple could be given a value of 1 and a pear a value of 2.

Spreadsheet

A computer program that represents information in a grid of rows and columns.



Computing Vocabulary - Unit: 2.3 Spreadsheets

Block Graph

This is a type of graph that displays data with blocks. These can be made using cells, colours and labels in 2Calculate.

Copy

This feature copies the contents of highlighted cells without deleting the contents of them into a clipboard.

Drag

Contents of a cell can be dragged to another cell using the drag tool in 2Calculate.

Label

A way to identify data in a spreadsheet. For example a label heading for ice cream flavours children like.

Table

Tables can be created in 2Calculate, these have headings and are a neat way to display data.

Cell

An individual section of a spreadsheet grid. It contains data or calculations.

Count tool

In 2Calculate, this counts the number of cells with a value of the cell to the left of the tool.

Equals

This symbol can be used in 2Calculate to find the answer to a calculation.

Row

Boxes running horizontally in a spreadsheet.

Total

In 2Calculate the total tool will calculate the total of all cells above, below or next to it dependent on which total tool used.

Column

Boxes running vertically in a spreadsheet.

Data

A collection of information, used to help answer questions.

Equals tool

Tests whether the entered calculation in the cells to the left of the tool has the correct answer in the cell to the right of the tool.

Speak tool

This tool will speak the contents of a cell containing a number each time the value changes.



Aiskew, Leeming Bar
Church of England Primary School
*'Rooted in love and growing together
to become lifelong learners'*

Computing Vocabulary – Unit: 1.3 Pictograms



Collect Data

Gathering facts and information.



Pictogram

A diagram that uses pictures to represent data.



Compare

Looking at what is the same and what is different.



Record Results

Writing down what you have found out.



Data

A collection of information, used to help answer questions.



Title

The name given to a piece of work.



Year A KS2



Computing Vocabulary - Unit: 3.2 Online safety

Appropriate

When using online services such as blogging or sharing information. It's important that users behave appropriately. Users should be truthful, respectful, kind, seek any permissions and report anything they feel uncomfortable with.

Password

A secret word, phrase or combination of letters, numbers and symbols that must be used to gain admission to a site or application such as a website.

Blog

A regularly updated website or web page, typically one run by an individual or small group, that is written in an informal or conversational style.

Personal Information

This is information that is personal to someone. For example, their favourite food, their name and age.

Reputable source

Reputable sources are known places or sites that have accurate information. For example, well known news sites or encyclopaedias.

Inappropriate

Behaviour or content online that is upsetting, rude, unkind or makes someone feel unsafe or concerned.

Internet

A global computer network providing a variety of information and communication facilities, consisting of interconnected networks and computers.

Permission

When someone shares or accesses content online, it's important that permission is given if it belongs to someone else or has information about them.

Verify

When seeking content online, it is important that a user verifies the information. They can do this by checking other sources and looking for signs that may indicate inaccuracy in the information.

Reliable Source

A source of information that provides thorough, well-reasoned details based on valid evidence.

Website

A set of related web pages located under a single name.

Spoof

An imitation of something that appears to look genuine.

Vlog

A personal website or social media account where a person regularly posts short videos.



Computing Vocabulary - Unit: 5.6 3D modelling

2D

Something that has only two dimensions; height and width.

3D

Something that has three dimensions; height, width and depth.

3D Printing

The action or process of making a physical object from a three-dimensional digital model, typically by laying down many thin layers of a material in succession.

CAD – Computer aided Design

A CAD computer program or app allows you to design a 3D object or environment in 2D and visualise it in 3D on the screen from many angles.

Design Brief

A document for a design project, defining the core details, including the goal and strategy.

Net

What a 3D shape would look like if it was unfolded and opened out flat.

Pattern Fill

A tool where you can add a customised repeating pattern to the surface of the net.

Points

The points on a 3D net which create the corners of the 3D shape.

Template

Something that serves as a model for others to copy and edit.



Computing Vocabulary - Unit: 3.4 Touch typing

Posture

The correct way to sit at the computer.

Why should I have a good posture at the computer?

A good posture is important to help you avoid any injuries that come from repeatedly using the computer incorrectly.

Keys

Buttons that are pressed on a computer keyboard or typewriter. These can be described by their position; bottom row, top row and home row (middle row).

Why should I type certain keys with certain fingers?

Using specific fingers for specific keys allows you to type more quickly.

Space bar


The bar at the bottom of the keyboard.

Typing

The action or skill of writing something by means of a typewriter or in this case a computer.

Computing Vocabulary – Unit: 4.6 Animation

Key Vocabulary



Animation

The process of adding movement to still objects.



FPS (Frames Per Second)

The number of frames played per second.



Frame

A single image in an animation.




Onion Skinning

A process where the shadow image of the previous frame is present to help you line up the objects of the animation correctly.



Pause

To temporarily stop the animation.



Stop motion

A technique whereby the camera is repeatedly stopped and started, for example to give animated figures the impression of movement.



Computing Vocabulary – Unit: 6.4 Blogging

Approval

The act of acknowledging something is appropriate.

Archive

In this case, where older blog or vlog posts are stored.

Blog

A regularly updated website or web page, typically one run by an individual or small group, that is written in an informal or conversational style.

Blog post

A piece of writing or other item of content published on a blog.

Collaborate

Work jointly on an activity or project.

Commenting

To express an opinion or reaction in speech or writing.

Vlog

A personal website or social media account where a person regularly posts short videos.



Computing Vocabulary - Unit: 4.7 Effective searching

Balanced View

Presenting opposing points of view fairly and without bias.

Reliability

The degree to which the result of something can be depended on to be accurate.

Easter eggs

An unexpected or undocumented feature in a piece of computer software or on a DVD, included as a joke or a bonus.

Results page

Where the answers to a search are displayed.

Internet

A global computer network providing a variety of information and communication facilities.

Search engine

A program that searches for and identifies items in a database. Used especially for finding sites on the World Wide Web.

Key words

A word or a group of words an Internet user uses to perform a search in a search engine.



Computing Vocabulary – Unit: 3.3 Spreadsheets

Key Vocabulary

Advance mode

A mode of 2Calculate in which the cells have references and can include formulae.

Data

A collection of information, especially facts or numbers, obtained by observation, questions or measurement to be analysed and used to help decision-making.

Less Than

This symbol shows that a number to the left of it has less value than one to the right.

Bar graph

A chart that uses bars to show quantities or numbers, so they can be easily compared.

Cell Address

Every cell has an address. This can be found by reading the **column** letter then **row** number.

Columns

Lettered, vertical reference points for the cells in a spreadsheet.

More Than

This symbol shows that a number to the left of it has greater value than one to the right.

Equals

This symbol shows that numbers or number sentences either side are equal in value.

Rows

Numerical, horizontal reference points for the cells in a spreadsheet.

More than, Less than & Equal Tool

This highlights either more than (>), less than (<) or equals (=) symbols according to which numbers are either side of it.

Pie Chart

A circular chart divided into segments which each represent a part of the total amount.

Spreadsheet

A computer program that represents information in a grid of rows and columns. Any cell in the grid may contain either data or a formula that describes the value to be inserted based on the values in other cells.

Quiz Tool

This can be used after the equals sign or instead of a number in a calculation. If you input the correct answer it will disappear.

Table

An organised display of information laid out in rows and columns.

Spin Tool

Clicking on this in a cell will increase or decrease the value in the cell to the right by 1.



Computing Vocabulary – Unit: 4.3 Spreadsheets

Key Vocabulary

Data

A collection of information, especially facts or numbers, obtained by observation, questions or measurement to be analysed and used to help decision-making.

Format Cell

The way that data is displayed in a cell. For example using units such as £ or \$.

Percentage

'per' 'cent' means number of parts per hundred.

Decimal place

The position of a digit to the right of a decimal point. In 2Calculate, the number of decimal places to be displayed can be chosen.

Formula Wizard

Use the formula wizard or type into the formula bar to create a formula in a cell, this will calculate the value for the cells based upon the value of other cells in the spreadsheet.

Equals tool

Tests whether the entered calculation in the cells to the left of the tool has the correct answer in the cell to the right of the tool.

Line graph

A line graph is used to display information which can change over time. For example, temperature at different times of the day.

Random Number Tool

This tool, when clicked, will generate a random number.

Timer

When placed in the spreadsheet, clicking the timer adds 1 to the value of the cell to its right every second until it is clicked again.

Spin Tool

This tool changes a number to the right of it by one each time an arrow is pressed.

Place value

This is the value of each digit within a number. For example 354, the 3 = 3 hundreds, the 5 = 5 tens and the 4 = 4 ones.



Computing Vocabulary – Unit: 5.3 Spreadsheets

Key Vocabulary

Rows

Boxes running horizontally in a spreadsheet.

Data

A collection of information, especially facts or numbers, obtained by observation, questions or measurement to be analysed and used to help decision-making.

Advance mode

A mode of 2Calculate in which the cells have references and can include formulae.

Spreadsheet

A computer program that represents data in **cells** in a grid of **rows** and **columns**. Any cell in the grid may contain either **data** or a **formula** that describes the value to be inserted based on the values in other cells.

Format

The way that text looks. Formatting cells is helpful for interpreting a cell's contents for example you might want to format a cell to show a fraction e.g. 4 ½ or include units such as £ or \$.

Columns

Boxes running vertically in a spreadsheet.

Formula

A group of letters, numbers, or other symbols which represents a scientific or mathematical rule. The plural of formula is formulae.

Formula Bar

An area of the spreadsheet into which formulae can be entered using the '=' sign to open the formula.

Formula Wizard

The wizard guides you in creating a variety of formulae for a cell such as calculations, totals, averages, minimum and maximum for the selected cells.

Totalling tool

Adds up the value of every cell above it, next to it or diagonal to it according to which total tool is selected.

'How Many?' Tool

Counts how many of a variable there are in a spreadsheet.

Variable

Used in computing to keep track of things that can change while a program is running.



Computing Vocabulary - Unit: 6.3 Spreadsheets

Key Vocabulary

Rows

Horizontal, numbered reference points for the cells in a spreadsheet.

Spreadsheet

A computer program that represents data in **cells** in a grid of **rows** and **columns**. Any cell in the grid may contain either **data** or a **formula** that describes the value to be inserted based on the values in other cells.

Columns

Vertical, lettered reference points for the cells in a spreadsheet.

Advance mode

A mode of 2Calculate in which the cells have references and can include formulae.

Budget

The amount of money available to spend on a project.

Chart

A diagram that represents data. Charts include graphs and other diagrams such as pie charts or flowcharts.

Data

A collection of information, especially facts or numbers, obtained by observation, questions or measurement to be analysed and used to help decision-making.

Formula

A group of letters, numbers, or other symbols which represents a scientific or mathematical rule. The plural of formula is formulae.

Count (How Many) Tool

Counts how many of a variable there are in a spreadsheet.

Dice Tool

Simulates the roll of a die to a random number between 1 and 6 when you click on it.

Expense

A cost associated with a project.

Probability

The extent to which an event is likely to occur, measured by the ratio of the favourable cases to the whole number of cases possible.

Profit

Money that is earned in trade or business after paying the costs of producing and selling goods and services.

Format Cell

The way that text looks. Formatting cells is helpful for interpreting a cell's contents for example you might want to format a cell to show a fraction e.g. $4\frac{1}{2}$ or include units such as £ or \$.

Formula Bar

An area of the spreadsheet into which formulae can be entered using the '=' sign to open the formula.

Formula Wizard

Helps a user create formulas which perform calculations on selected cells. For example, adding, multiplying, average, total.

Move cell tool

Allows selected cells to be draggable.

Computing Vocabulary – Unit: 4.7 Effective searching

Key Vocabulary



Balanced View

Presenting opposing points of view fairly and without bias.



Easter eggs

An unexpected or undocumented feature in a piece of computer software or on a DVD, included as a joke or a bonus.



Reliability

The degree to which the result of something can be depended on to be accurate.



Internet

A global computer network providing a variety of information and communication facilities.



Key words

A word or a group of words an Internet user uses to perform a search in a search engine.



Results page

Where the answers to a search are displayed.



Search engine

A program that searches for and identifies items in a database. Used especially for finding sites on the World Wide Web.





Computing Vocabulary - Unit: 3.1 Coding Part 1

Key Vocabulary

Action

The way that objects change when programmed to do so. For example, move or change a property.

Alert

This is a type of output. It shows a pop-up of text on the screen.

Algorithm

A precise step by step set of instructions used to solve a problem or achieve an objective.

Background

In 2Code the background is an image in the design that does not change.

Bug

A problem in a computer program that stops it working the way it was designed.

Button

A type of object that responds to being clicked on.

Click Event

An event that is triggered when the user clicks on an object.

Code

Writing the code for a computer program.

Collision Detection Event

The event of two objects colliding.

Command

A single instruction in a computer program.

Debug/Debugging

Fixing code that has errors so that the code will run the way it was designed to.

**Event**

An occurrence that causes a block of code to be run. The event could be the result of user action such as the user pressing a key (when Key) or clicking or swiping the screen (when Clicked, when Swiped). In 2Code, the event commands are used to create blocks of code that are run when events happen.

Flowchart

A diagram which represents an algorithm.

Implement

When a design is turned into a program using coding.

Input

Information going into the computer. Can include moving or clicking the mouse, using the keyboard, swiping and tilting the device.

Interval

In a timer, this is the length of time between the timer code running and the next time it runs e.g. every 1 second.

Nesting

When coding commands are put inside other commands. These commands only run when the outer command runs.

Object

Items in a program that can be given instructions to move or change in some way (action). In 2Code Gibbon, these include character, turtle, button, vehicle, animal, food, shape, number, input and label.

Predict

Use your understanding of a situation to say what will happen in the future or will be a consequence of something.

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Repeat

This command can be used to make a block of commands run a set number of times or forever.

Run

Clicking the Play button to make the computer respond to the code.

Sequence

When a computer program runs commands in order.

Scene

In 2Code, this is the combination of the background and objects in a program.

Test

To run the code and observe what happens to identify where there might be bugs in the program.

Timer

Use this command to run a block of commands after a timed delay or at regular intervals.

Turtle Object

A type of object in 2Code that moves by coding angles of rotation and distance to move.



Computing Vocabulary - Unit: 4.1 Coding Part 1

Action

The way that objects change when programmed to do so. For example, move or change a property.

Alert

This is a type of output. It shows a pop up of text on the screen.

Algorithm

A precise, step-by-step set of instructions used to solve a problem or achieve an objective.

Background

In 2Code the background is an image in the design that does not change.

Button

A type of object that responds to being clicked on.

Code blocks

A way to write code using blocks which each have an object or an action. Each group of blocks will run when a specific condition is met or when an event occurs.

Command

A single instruction in 2Code.

Debug/Debugging

Fixing code that has errors so that the code will run the way it was designed to.

Design

In coding, this is a plan for the program showing the visual look of the user interface (the screen) with the objects. The algorithm can be represented as part of the design, showing actions and events.

Execute

This is the proper word for when you run the code. We say, 'the program (or code) executes.'



Computing Vocabulary - Unit: 4.1 Coding Part 2

Event

An occurrence that causes a block of code to be run.

The event could be the result of user action such as the user pressing a key (when Key) or clicking or swiping the screen (when Clicked, when Swiped). In 2Code, the event commands are used to create blocks of code that are run when events happen.

Flowchart

A diagram that uses specifically shaped, labelled boxes and arrows to represent an algorithm as a diagram.

'If/Else' Statement

A conditional command. This tests a statement. If the condition is true, then the commands inside the 'if block' will be run. If the condition is not met, then the commands inside the 'else block' are run.

'If' Statement

A computer uses an IF statement to decide which bit of code to run. IF a condition is true, then the commands inside the block will be run.

Input

Information going into the computer. This could be the user moving or clicking the mouse, or the user entering characters on the keyboard. On tablets there are other forms such as finger swipes, touch gestures and tilting the device.

Nest

When coding commands are put inside other commands. These commands only run when the outer command runs.

Object

Items in a program that can be given instructions to move or change in some way (action). In 2Code Gibbon, these include character, turtle, button, vehicle, animal, food, shape, number, input and label.

Prompt

A question or request asked in coding to obtain information from the user in order to select which code to run.

Implement

When a design is turned into a program using coding.

Repeat until

In 2Code this command will repeat a block of commands until a condition is met.

Predict

Use your understanding of a situation to say what will happen in the future or will be a consequence of something.

Repeat

This command can be used to make a block of commands run a set number of times or forever.

Run

Clicking the Play button to make the computer respond to the code.



Computing Vocabulary - Unit: 4.1 Coding Part 3

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Selection

Selection is a decision command. When selection is used, a program will choose which bit of code to run depending on a condition.

Sequence

This is when a computer program runs commands in order.

Timer

In coding, use a timer command to run a block of commands after a timed delay or at regular intervals.

Variable

A named area in computer memory. A variable has a name and a value. The program can change this variable value. Variables are used in programming to keep track of things that can change while a program is running.

**Event**

An occurrence that causes a block of code to be run.

The event could be the result of user action such as the user pressing a key (**when Key**) or clicking or swiping the screen (**when Clicked**, **when Swiped**) or when objects interact (collision). In 2Code, the event commands are used to create blocks of code that are run when events happen.

Function

A block or sequence of code that you can access when you need it, so you don't have to rewrite the code repeatedly. Instead, you simply 'call' the function each time you want it.

Input

Information going into the computer. This could be the user moving or clicking the mouse, or the user entering characters on the keyboard. On tablets there are other forms such as finger swipes, touch gestures and tilting the device.

Object

Items in a program that can be given instructions to move or change in some way (action). In 2Code Gorilla, the **object types** are button number, input, text, shape turtle, character, object, vehicle, animal.

Output

Information that comes out of the computer e.g. sound, prompt, alert or print to screen.

Nesting

When coding commands are put inside other commands. These commands only run when the outer command runs.

Repeat

This command can be used to make a block of commands run a set number of times, until a condition is met or forever.

Physical System

In this context, this is any object or situation that can be analysed and modelled. For example modelling the function of a traffic light, modelling friction of cars moving down surfaces or modelling the functions of a home's security system.

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Sequence

This is when a computer program runs commands in order.

Selection

A conditional decision command. When selection is used, a program will choose which bit of code to run depending on a condition. In 2Code selection is accomplished using 'if' or 'if/else' statements.

Simplify

In coding this is used to describe modifying the code to complete the same process with less lines of code.



Computing Vocabulary – Unit: 5.1 Coding Part 2

Key Vocabulary

Abstraction

A way of de-cluttering and removing unnecessary details to get a program functioning.

Action

The way that objects change when programmed to do so. For example, move or change a property.

Algorithm

A precise step by step set of instructions used to solve a problem or achieve an objective.

Concatenation

The action of linking a mixture of strings, variable values and numbers together in a series.

Debug\ Debugging Fixing code that has errors so that the code will run the way it was designed.

Decomposition

A method of breaking down a task into manageable components. This makes coding easier as the components can then be coded separately and then brought back together in the program.

Efficient

In coding, simplified code runs faster and uses less processing memory, it is said to be more efficient.

Flowchart

A diagram that uses specifically shaped, labelled boxes and arrows to represent an algorithm as a diagram.

Timer

Use this command to run a block of commands after a timed delay or at regular intervals.

Variable

A named area in computer memory. A variable has a name and a value. The program can change this variable value. Variables are used in programming to keep track of things that can change while a program is running. In 2Code, variables can be strings, numbers or computer-generated variables to control objects of a type.



Computing Vocabulary - Unit: 6.1 Coding

Key Vocabulary

Function

A block or sequence of code that you can access when you need it, so you don't have to rewrite the code repeatedly. Instead, you simply **call** the function each time you want it.

Object

Items in a program that can be given instructions to move or change in some way (action). In 2Code Gorilla, the **object types** are button number, input, text, shape turtle, character, object, vehicle, animal.

Procedure

An independent code module that fulfils a task and is referenced within a larger body of code. In 2Code a procedure might be coded as a function.

Input

Information going into the computer. This could be the user moving or clicking the mouse, or the user entering characters on the keyboard. On tablets there are other forms such as finger swipes, touch gestures and tilting the device. In 2Code the commands **prompt for input** and **get input** are used to prompt the user to enter typed input and then use this input.

Properties

These determine the look and size of an object. Each object has properties such as the image, scale and position of the object.

Launch Command

This command will open another Purple Mash file or an external website that you specify when it is called.

Output

Information that comes out of the computer e.g. **sound**, **prompt**, **alert** or **print to screen**.

Predict

Use your understanding of a situation to say what will happen in the future or will be a consequence of something

Repeat

This command can be used to make a block of commands run a set number of times or forever.

Selection

Selection is a decision command. When selection is used, a program will choose which bit of code to run depending on a condition. In 2Code selection is accomplished using 'if' or 'if/else' statements.

Tab

In 2Code, this is a way to organise a program into separate pages (tabs) of code.

Simulation

A model that represents a real or imaginary situation. Simulations can be used to explore options and to test predictions.

Timer

Use this command to run a block of commands after a timed delay or at regular intervals.

Repeat Until

In 2Code this command will repeat a block of commands until a condition is met.

Variable

A named area in computer memory. A variable has a **name** and a **value**. The program can change this variable value. Variables are used in programming to keep track of things that can change while a program is running.

KS2 Year B



Computing Vocabulary – Unit: 4.2 Online safety part 1

AdFly

An online advertising marketplace that allows publishers to monetize their website traffic by placing advertisements on their site.

Attachment

A file, which could be a piece of work or a picture, that is sent with an email.

Citation

Making reference to the original source of a piece of information quotation or image.

Collaborate

To work jointly on an activity or project.

Cookies

A small amount of data generated by a website and saved by a web browser. Its purpose is to remember information about the user.

Copyright

When the rights to something belong to a specific person.

Digital footprint

The information about a person that exists on the Internet as a result of their online activity.

Malware

Software that is specifically designed to disrupt, damage, or gain unauthorised access to a computer system.

Phishing

Practice of sending email pretending to be from reputable companies in order to persuade individuals to reveal personal information, such as passwords and credit



Computing Vocabulary - Unit: 4.2 Online safety part 2

Plagiarism

Taking someone else's work or ideas and passing them off as one's own.

Ransomware

A type of malicious software designed to block access to a computer system until a sum of money is paid.

SMART rules

A set of rules based around the word SMART designed to help you stay safe when online. SMART represents the words Safe, Meet, Accept, Reliable, Tell.

Spam

Messages sent over the Internet, typically to many users, for the purposes of advertising, phishing or spreading malware.

Virus

A piece of code which can copy itself and typically has a damaging effect on the device, such as corrupting the system or destroying data.

Watermark

Watermarks are used mainly on images or videos to show who the content belongs to.



Computing Vocabulary – Unit: 3.6 Branching databases

Binary Tree

Another name for a branching database.

Database

A collection of data organised in such a way that it can be searched, and information found easily. Database usually refers to data stored on computers.

Branching database

Used to classify groups of objects. It is used to help identify the objects by answering questions with either 'yes' or 'no'. Branching databases can also be called binary trees.

Data

A collection of information, especially facts or numbers, obtained by observation, questions or measurement to be analysed and used to help decision-making.

Debugging

The process of identifying and removing errors from computer hardware or software.



Computing Vocabulary - Unit: 4.4 Writing for different audiences

Campaign

An organised course of action to achieve a goal.

Format

The way in which something is arranged or set out.

Font

A set of type which shows words and numbers in a particular style and size.

Genre

The style or category type of a piece of art, music or writing.

Opinion

A view or judgment someone forms about something, not always based on fact.

Reporter

A person who reports news or conducts interviews for the press or broadcasting media.

Viewpoint

The way someone sees or thinks about something.



Computing Vocabulary - Unit: 6.7 Quizzing

Clone

To make a complete copy of something.

Audience

People who watch a performance or use a resource.

Cloze

A test in which words are removed from a text and replaced with spaces. The learner has to fill each space with the correct word(s).

Audio

Sound (especially when recorded).

Preview

To see what something (or part of something) looks like before committing to it being the final version.

Case-Sensitive

Differentiating between capital and lower-case letters.

Quiz

An activity in which participants answer questions and receive a score dependent upon correct answers.



Computing Vocabulary - Unit: 3.7 Simulation

Analysis

A detailed examination of something.

Simulation

A program that models a real-life situation. They let you try things out that would be too difficult or dangerous to do in real life.

Evaluation

To judge the value, condition or effectiveness of something.

Modelling

The act of representing something, often on a smaller scale.

Decision

The act or result of making a choice after careful thought.